

Table 1.75C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	628	674	143	175	60	90
GEOGRAPHIC DIVISION						
Northeast	267	274	55	62	26	27
New England	141	127	29	29	17	11
Middle Atlantic	226	241	47	55	19	25
Midwest	242	249	52	51	25	36
East North Central	209	201	43	47	20	34
West North Central	128	155	30	18	15	9
South	373	380	84	100	33	63
South Atlantic	268	297	70	88	22	60
East South Central	127	133	19	25	14	8
West South Central	202	186	40	41	20	17
West	374	397	90	116	36	49
Mountain	191	184	37	47	20	20
Pacific	321	353	83	106	30	45
COUNTY TYPE						
Large Metro	546	592	118	141	49	66
Small Metro	390	443	78	105	29	64
250K – 1 Mil. Pop.	325	376	64	78	25	57
< 250K Pop.	229	238	45	70	15	28
Nonmetro	241	249	36	36	20	13
Urbanized	172	185	27	27	11	6
Less Urbanized	163	154	24	21	17	9
Completely Rural	73	66	6	12	3	6

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.75D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2011 and 2012

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.24	0.26	0.06	0.07	0.02	0.03
GEOGRAPHIC DIVISION						
Northeast	0.57	0.58	0.12	0.13	0.05	0.06
New England	1.15	1.03	0.24	0.23	0.14	0.09
Middle Atlantic	0.65	0.69	0.14	0.16	0.06	0.07
Midwest	0.43	0.45	0.09	0.09	0.05	0.06
East North Central	0.54	0.52	0.11	0.12	0.05	0.09
West North Central	0.75	0.90	0.17	0.11	0.09	0.05
South	0.39	0.39	0.09	0.10	0.03	0.07
South Atlantic	0.53	0.58	0.14	0.17	0.04	0.12
East South Central	0.83	0.87	0.13	0.16	0.09	0.05
West South Central	0.68	0.62	0.13	0.14	0.07	0.06
West	0.63	0.65	0.15	0.19	0.06	0.08
Mountain	1.05	1.00	0.20	0.25	0.11	0.11
Pacific	0.77	0.84	0.20	0.25	0.07	0.11
COUNTY TYPE						
Large Metro	0.36	0.37	0.09	0.10	0.04	0.05
Small Metro	0.42	0.46	0.10	0.13	0.04	0.08
250K – 1 Mil. Pop.	0.51	0.57	0.12	0.14	0.05	0.11
< 250K Pop.	0.74	0.78	0.17	0.26	0.06	0.11
Nonmetro	0.49	0.51	0.09	0.08	0.05	0.03
Urbanized	0.78	0.87	0.16	0.14	0.06	0.03
Less Urbanized	0.71	0.71	0.13	0.11	0.09	0.05
Completely Rural	1.40	1.13	0.14	0.25	0.08	0.12

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.75P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Geographic Characteristic	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.1960		0.3911		0.1576	
GEOGRAPHIC DIVISION						
Northeast	0.4799		0.7522		0.7122	
New England	0.0850		0.4505		0.4513	
Middle Atlantic	0.8346		0.4389		0.3296	
Midwest	0.4033		0.5171		0.1945	
East North Central	0.3337		0.5362		0.0523	
West North Central	0.9461		0.0170		0.2854	
South	0.9259		0.0757		0.0890	
South Atlantic	0.2427		0.0390		0.0071	
East South Central	0.0993		0.3659		0.2111	
West South Central	0.4674		0.6349		0.2379	
West	0.2161		0.9262		0.5181	
Mountain	0.4275		0.2558		0.6160	
Pacific	0.3284		0.5850		0.6429	
COUNTY TYPE						
Large Metro	0.3376		0.3981		0.5009	
Small Metro	0.1210		0.4274		0.0776	
250K – 1 Mil. Pop.	0.2231		0.8339		0.3163	
< 250K Pop.	0.3302		0.0920		0.0530	
Nonmetro	0.5367		0.3884		0.3352	
Urbanized	0.5943		0.2007		0.1018	
Less Urbanized	0.3681		0.6685		0.7106	
Completely Rural	0.1183		0.1899		0.3949	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.